


19" single wall mount racks SWM

Features:

- data racks are produced in sizes 4 – 18 U
- thickness of material – 1.3mm
- width of racks 600 mm
- depth of racks, standard 250, 400, 500, 600
- finish: steel with powder coating in colours as follows:
 - RAL 7032 – beige
 - RAL 7035 – grey, RAL 9005 – black
 - RAL 5015 – blue, RAL 9003 – white
- front door with security glass (smoke glass - bronze shade) or sheet steel, full panel
- door is exchangeable - right , left
- openings for cables - 1x top cover, 1x bottom cover, 1x rear cover
- racks are equipped with 4 pcs of sliding 19" vertical laths
- assembly openings are prepared on rear panel for attaching on wall
- all demountable parts are earthed



19" single wall mount racks SWM depth 250 mm:

EC Type	Length of ISO rails	Dimension (h x w x d)	Article Number
R19SWM-04-6025GL	4U	300 x 600 x 250	EC.09.000020.001
R19SWM-06-6025GL	6U	390 x 600 x 250	EC.09.000020.002
R19SWM-09-6025GL	9U	520 x 600 x 250	EC.09.000020.003
R19SWM-12-6025GL	12U	655 x 600 x 250	EC.09.000020.004
R19SWM-15-6025GL	15U	790 x 600 x 250	EC.09.000020.005
R19SWM-18-6025GL	18U	920 x 600 x 250	EC.09.000020.006

19" single wall mount racks SWM depth 400 mm:

EC Type	Length of ISO rails	Dimension (h x w x d)	Article Number
R19SWM-04-6040GL	4U	300 x 600 x 400	EC.09.000020.007
R19SWM-06-6040GL	6U	390 x 600 x 400	EC.09.000020.008
R19SWM-09-6040GL	9U	520 x 600 x 400	EC.09.000020.009
R19SWM-12-6040GL	12U	655 x 600 x 400	EC.09.000020.010
R19SWM-15-6040GL	15U	790 x 600 x 400	EC.09.000020.011
R19SWM-18-6040GL	18U	920 x 600 x 400	EC.09.000020.012

19" single wall mount racks SWM depth 500 mm:

EC Type	Length of ISO rails	Dimension (h x w x d)	Article Number
R19SWM-04-6050GL	4U	300 x 600 x 500	EC.09.000020.013
R19SWM-06-6050GL	6U	390 x 600 x 500	EC.09.000020.014
R19SWM-09-6050GL	9U	520 x 600 x 500	EC.09.000020.015
R19SWM-12-6050GL	12U	655 x 600 x 500	EC.09.000020.016
R19SWM-15-6050GL	15U	790 x 600 x 500	EC.09.000020.017
R19SWM-18-6050GL	18U	920 x 600 x 500	EC.09.000020.018


19" single wall mount racks SWM depth 600 mm:

EC Type	Length of ISO rails	Dimension (h x w x d)	Article Number
R19SWM-04-6060GL	4U	300 x 600 x 600	EC.09.000020.019
R19SWM-06-6060GL	6U	390 x 600 x 600	EC.09.000020.020
R19SWM-09-6060GL	9U	520 x 600 x 600	EC.09.000020.021
R19SWM-12-6060GL	12U	655 x 600 x 600	EC.09.000020.022
R19SWM-15-6060GL	15U	790 x 600 x 600	EC.09.000020.023
R19SWM-18-6060GL	18U	920 x 600 x 600	EC.09.000020.024

19" double wall mount racks DWM

Features:

- data racks are produced in sizes 4 – 18 U
- thickness of material – 1.3mm
- width of racks 600 mm
- depth of racks, standard 500, 600
- finish: steel with powder coating in colours as follows:
 - RAL 7032 – beige
 - RAL 7035 – grey, RAL 9005 – black
 - RAL 5015 – blue, RAL 9003 – white
- front door with security glass (smoke glass - bronze shade) or sheet steel, full panel
- door is exchangeable - right , left
- openings for cables - 1x top cover, 1x bottom cover, 1x rear cover
- racks are equipped with 4 pcs of sliding 19" vertical laths
- assembly openings are prepared on rear panel for attaching on wall
- all demountable parts are earthed



19" double wall mount racks DWM depth 500 mm:

EC Type	Length of ISO rails	Dimension (h x w x d)	Article Number
R19DWM-04-6050GL	4U	300 x 600 x 500	EC.09.000020.025
R19DWM-04-6050GL	6U	390 x 600 x 500	EC.09.000020.026
R19DWM-04-6050GL	9U	520 x 600 x 500	EC.09.000020.027
R19DWM-04-6050GL	12U	655 x 600 x 500	EC.09.000020.028
R19DWM-04-6050GL	15U	790 x 600 x 500	EC.09.000020.029
R19DWM-04-6050GL	18U	920 x 600 x 500	EC.09.000020.030

19" double wall mount racks DWM depth 600 mm:


EC Type	Length of ISO rails	Dimension (h x w x d)	Article Number
R19DWM-04-6060GL	4U	300 x 600 x 600	EC.09.000020.031
R19DWM-04-6060GL	6U	390 x 600 x 600	EC.09.000020.032
R19DWM-04-6060GL	9U	520 x 600 x 600	EC.09.000020.033
R19DWM-04-6060GL	12U	655 x 600 x 600	EC.09.000020.034
R19DWM-04-6060GL	15U	790 x 600 x 600	EC.09.000020.035
R19DWM-04-6060GL	18U	920 x 600 x 600	EC.09.000020.036

19" and 21" Distribution racks D

Features:

Distribution data racks are produced in sizes 18 - 47 U

- available rack widths: 600, 800 mm
- available rack depths: 600, 800, 900, 1000, 1100 mm
- thickness of material used for production - 2.0 mm and 1.5 mm
- providing the special high-load shelves attached to the rack frame are used the data rack capacity may be increased up to 1000 kg
- finish: powder coating:
 - RAL 7032 - beige
 - RAL 7035 - grey, RAL 9005 - black
 - RAL 5015 - blue, RAL 9003 - white
- standard front door is equipped with lock and security glass, or sheet steel full panel door as an option available upon request
- rear panel and side panels are equipped with lock and they are easily mountable.
- doors are exchangeable, left/right, opening angle 180 °
- holes for cables - 3, covered with an easy mountable cap
- racks are provided with 4 sliding 19" vertical laths.
- all removable parts are earthed.
- standard racks are delivered with positioning legs, optional casters, frame support.
- standard accessory: dust protection cap



19" Distribution racks D 800/800 incl. 4x19" profile:

EC Type	Length of ISO rails	Dimension (h x w x d)	Article Number
R19D-18-6060GL	18U	900 x 600 x 600	EC.09.000030.030
R19D-22-6060GL	22U	1080 x 600 x 600	EC.09.000030.031
R19D-27-6060GL	27U	1300 x 600 x 600	EC.09.000030.032
R19D-32-6060GL	32U	1525 x 600 x 600	EC.09.000030.033
R19D-37-6060GL	37U	1750 x 600 x 600	EC.09.000030.034
R19D-42-6060GL	42U	1970 x 600 x 600	EC.09.000030.035
R19D-45-6060GL	45U	2150 x 600 x 600	EC.09.000030.036

19" Distribution racks D 600/800 incl. 4x19" profile:

EC Type	Length of ISO rails	Dimension (h x w x d)	Article Number
R19D-18-6080GL	18U	900 x 600 x 800	EC.09.000030.037
R19D-22-6080GL	22U	1080 x 600 x 800	EC.09.000030.038
R19D-27-6080GL	27U	1300 x 600 x 800	EC.09.000030.039
R19D-32-6080GL	32U	1525 x 600 x 800	EC.09.000030.040
R19D-37-6080GL	37U	1750 x 600 x 800	EC.09.000030.041
R19D-42-6080GL	42U	1970 x 600 x 800	EC.09.000030.042
R19D-45-6080GL	45U	2150 x 600 x 800	EC.09.000030.043

19" Distribution racks D 800/600 incl. 4x19" profile:

EC Type	Length of ISO rails	Dimension (h x w x d)	Article Number
R19D-18-8060GL	18U	900 x 800 x 600	EC.09.000030.044
R19D-22-8060GL	22U	1080 x 800 x 600	EC.09.000030.045
R19D-27-8060GL	27U	1300 x 800 x 600	EC.09.000030.046
R19D-32-8060GL	32U	1525 x 800 x 600	EC.09.000030.047
R19D-37-8060GL	37U	1750 x 800 x 600	EC.09.000030.048
R19D-42-8060GL	42U	1970 x 800 x 600	EC.09.000030.049
R19D-45-8060GL	45U	2150 x 800 x 600	EC.09.000030.050

19" and 21" Distribution racks D

19" Distribution racks D 800/800 incl. 4x19" profile:

<i>EC Type</i>	<i>Length of ISO rails</i>	<i>Dimension (h x w x d)</i>	<i>Article Number</i>
R19D-18-8080GL	18U	900 x 800 x 800	EC.09.000030.051
R19D-22-8080GL	22U	1080 x 800 x 800	EC.09.000030.052
R19D-27-8080GL	27U	1300 x 800 x 800	EC.09.000030.053
R19D-32-8080GL	32U	1525 x 800 x 800	EC.09.000030.054
R19D-37-8080GL	37U	1750 x 800 x 800	EC.09.000030.055
R19D-42-8080GL	42U	1970 x 800 x 800	EC.09.000030.056
R19D-45-8080GL	45U	2150 x 800 x 800	EC.09.000030.057

19" Distribution racks D 600/900 incl. 4x19" profile:

<i>EC Type</i>	<i>Length of ISO rails</i>	<i>Dimension (h x w x d)</i>	<i>Article Number</i>
R19D-42-6090GL	42U	1970 x 600 x 900	EC.09.000030.058
R19D-45-6090GL	45U	2150 x 600 x 900	EC.09.000030.059

19" Distribution racks D 800/900 incl. 4x19" profile:

<i>EC Type</i>	<i>Length of ISO rails</i>	<i>Dimension (h x w x d)</i>	<i>Article Number</i>
R19D-42-8090GL	42U	1970 x 800 x 900	EC.09.000030.060
R19D-45-8090GL	45U	2150 x 800 x 900	EC.09.000030.061

19" Distribution racks D 600/1000 incl. 4x19" profile:

<i>EC Type</i>	<i>Length of ISO rails</i>	<i>Dimension (h x w x d)</i>	<i>Article Number</i>
R19D-42-6010GL	42U	1970 x 600 x 1000	EC.09.000030.062
R19D-45-6010GL	45U	2150 x 600 x 1000	EC.09.000030.063

19" Distribution racks D 800/1000 incl. 4x19" profile:

<i>EC Type</i>	<i>Length of ISO rails</i>	<i>Dimension (h x w x d)</i>	<i>Article Number</i>
R19D-42-8010GL	42U	1970 x 800 x 1000	EC.09.000020.064
R19D-45-8010GL	45U	2150 x 800 x 1000	EC.09.000020.065

19" Distribution racks D 600/1100 incl. 4x19" profile:

<i>EC Type</i>	<i>Length of ISO rails</i>	<i>Dimension (h x w x d)</i>	<i>Article Number</i>
R19D-42-6011GL	42U	1970 x 600 x 1100	EC.09.000030.066
R19D-45-6011GL	45U	2150 x 600 x 1100	EC.09.000030.067

19" Distribution racks D 800/1100 incl. 4x19" profile:

<i>EC Type</i>	<i>Length of ISO rails</i>	<i>Dimension (h x w x d)</i>	<i>Article Number</i>
R19D-42-8011GL	42U	1970 x 800 x 1100	EC.09.000030.068
R19D-45-8011GL	45U	2150 x 800 x 1100	EC.09.000030.069

21" Distribution racks D 800/600 incl. 4x19" profile:

<i>EC Type</i>	<i>Length of ISO rails</i>	<i>Dimension (h x w x d)</i>	<i>Article Number</i>
R21D-18-8060GL	18U	900 x 800 x 600	EC.09.000030.070
R21D-22-8060GL	22U	1080 x 800 x 600	EC.09.000030.071
R21D-27-8060GL	27U	1300 x 800 x 600	EC.09.000030.072
R21D-32-8060GL	32U	1525 x 800 x 600	EC.09.000030.073
R21D-37-8060GL	37U	1750 x 800 x 600	EC.09.000030.074
R21D-42-8060GL	42U	1970 x 800 x 600	EC.09.000030.075
R21D-45-8060GL	45U	2150 x 800 x 600	EC.09.000030.076

21" Distribution racks D 800/800 incl. 4x19" profile:


<i>EC Type</i>	<i>Length of ISO rails</i>	<i>Dimension (h x w x d)</i>	<i>Article Number</i>
R21D-18-8080GL	18U	900 x 800 x 800	EC.09.000030.077
R21D-22-8080GL	22U	1080 x 800 x 800	EC.09.000030.078
R21D-27-8080GL	27U	1300 x 800 x 800	EC.09.000030.079
R21D-32-8080GL	32U	1525 x 800 x 800	EC.09.000030.080
R21D-37-8080GL	37U	1750 x 800 x 800	EC.09.000030.081
R21D-42-8080GL	42U	1970 x 800 x 800	EC.09.000030.082
R21D-45-8080GL	45U	2150 x 800 x 800	EC.09.000030.083

19" Distribution racks DL

Features:

Light version DL series

- data distribution racks are available in sizes 18 - 45 U
- available rack width 600, available rack depths 600, 800 mm
- material thickness used for production: 1.5 mm
- weight capacity of up to 300 kg.
- surface finish: powder paint: RAL 7032 - beige, RAL 7035 - grey, RAL 9005 - black
RAL 5015 - blue, RAL 9003 - white
- front door is provided with lock and safety tinted glass, full panel sheet metal door is available as an option
- rear door and side panels are removable
- doors are exchangeable left, right, opening angle is 180 °
- holes for cables - 2, covered with an easy dismantlable cap
- 2 sliding 19" vertical rail , additional 2 rails are available as an option upon separate request
- all removable parts are earthed
- data distribution racks are delivered as standard with adjustable height legs, casters, including braked casters are available as an extra option, similarly as the separate support
- standard delivery: protective dust bristle cap



19" Distribution racks series DL 600/600:

EC Type	Length of ISO rails	Dimension (h x w x d)	Article Number
R19DL-18-6060GL	18U	900 x 600 x 600	EC.09.000030.001
R19DL-22-6060GL	22U	1080 x 600 x 600	EC.09.000030.002
R19DL-27-6060GL	27U	1300 x 600 x 600	EC.09.000030.003
R19DL-32-6060GL	32U	1525 x 600 x 600	EC.09.000030.004
R19DL-37-6060GL	37U	1750 x 600 x 600	EC.09.000030.005
R19DL-42-6060GL	42U	1970 x 600 x 600	EC.09.000030.006
R19DL-45-6060GL	45U	2150 x 600 x 600	EC.09.000030.007

19" Distribution racks series DL 600/800:

EC Type	Length of ISO rails	Dimension (h x w x d)	Article Number
R19DL-18-6080GL	18U	900 x 600 x 800	EC.09.000030.008
R19DL-22-6080GL	22U	1080 x 600 x 800	EC.09.000030.009
R19DL-27-6080GL	27U	1300 x 600 x 800	EC.09.000030.010
R19DL-32-6080GL	32U	1525 x 600 x 800	EC.09.000030.011
R19DL-37-6080GL	37U	1750 x 600 x 800	EC.09.000030.012
R19DL-42-6080GL	42U	1970 x 600 x 800	EC.09.000030.013
R19DL-45-6080GL	45U	2150 x 600 x 800	EC.09.000030.014

19" Distribution racks series DL 800/600:

EC Type	Length of ISO rails	Dimension (h x w x d)	Article Number
R19DL-18-8060GL	18U	900 x 800 x 600	EC.09.000030.015
R19DL-22-8060GL	22U	1080 x 800 x 600	EC.09.000030.016
R19DL-27-8060GL	27U	1300 x 800 x 600	EC.09.000030.017
R19DL-32-8060GL	32U	1525 x 800 x 600	EC.09.000030.018
R19DL-37-8060GL	37U	1750 x 800 x 600	EC.09.000030.019
R19DL-42-8060GL	42U	1970 x 800 x 600	EC.09.000030.020
R19DL-45-8060GL	45U	2150 x 800 x 600	EC.09.000030.021

19" Distribution racks series DL 800/800:

EC Type	Length of ISO rails	Dimension (h x w x d)	Article Number
R19DL-18-8080GL	18U	900 x 800 x 800	EC.09.000030.022
R19DL-22-8080GL	22U	1080 x 800 x 800	EC.09.000030.023
R19DL-27-8080GL	27U	1300 x 800 x 800	EC.09.000030.024
R19DL-32-8080GL	32U	1525 x 800 x 800	EC.09.000030.025
R19DL-37-8080GL	37U	1750 x 800 x 800	EC.09.000030.026
R19DL-42-8080GL	42U	1970 x 800 x 800	EC.09.000030.027
R19DL-45-8080GL	45U	2150 x 800 x 800	EC.09.000030.028
R19DL-47-8080GL	47U	2230 x 800 x 800	EC.09.000030.029

Accessories for 19" and 21" Distribution racks




Fastening segment FS for Distribution racks D:

EC Type	Length of ISO rails	Dimension (h x w x d)	Article Number
RXXFSD-18	18U		EC.09.000030.301
RXXFSD-22	22U		EC.09.000030.302
RXXFSD-27	27U		EC.09.000030.303
RXXFSD-32	32U		EC.09.000030.304
RXXFSD-37	37U		EC.09.000030.305
RXXFSD-42	42U		EC.09.000030.306
RXXFSD-45	45U		EC.09.000030.307




19" Light:

EC Type	Fixing	Dimension (h x w x d)	Article Number
R19L2U-11W	4-point, in the front		EC.09.000030.308



Brushes:

EC Type	Fixing	Dimension (h x w x d)	Article Number
R19BR-WMR			EC.09.000030.309
R19BR-D/L			EC.09.000030.310



19" Shelf:

EC Type	Fixing	Dimension (h x w x d)	Article Number
R19SF1U-25	4-point, fixed		EC.09.000030.311
R19SF1U-35	4-point, fixed		EC.09.000030.312
R19SF1U-45	4-point, fixed		EC.09.000030.313
R19SF1U-55	4-point, fixed		EC.09.000030.314
R19SF1U-65	4-point, fixed		EC.09.000030.315
R19SF1U-75	4-point, fixed		EC.09.000030.316
R19SF1U-85	4-point, fixed		EC.09.000030.317
R19ST1U-35	4-point, sliding		EC.09.000030.318
R19ST1U-45	4-point, sliding		EC.09.000030.319



Plinth/socket:

EC Type	Fixing	Dimension (h x w x d)	Article Number
R19PDL-6060	4-point		EC.09.000030.320
R19PDL-6080	4-point		EC.09.000030.321
R19PDL-8060	4-point		EC.09.000030.322
R19PDL-8080	4-point		EC.09.000030.323
R19PD-6060	4-point		EC.09.000030.324
R19PD-6080	4-point		EC.09.000030.325
R19PD-8060	4-point		EC.09.000030.326
R19PD-8080	4-point		EC.09.000030.327
R19PD-6090	4-point		EC.09.000030.328
R19PD-6010	4-point		EC.09.000030.329
R19PD-6011	4-point		EC.09.000030.330
R19PD-8090	4-point		EC.09.000030.331
R19PD-8010	4-point		EC.09.000030.332
R19PD-8011	4-point		EC.09.000030.333

Accessories for 19" and 21" Distribution racks



Fan unit:

EC Type

R19V70W-19
R19V105W-19
R19V150W-19
R19V220W-19
R19V70W-T
R19V105W-T
R19V150W-T
R19V220W-T
R19V70W-B
R19V105W-B
R19V150W-B
R19V220W-B

Fixing

4-point, in the front
4-point, in the front
4-point, in the front
4-point, in the front
4-point + filter
4-point + filter
4-point + filter
4-point + filter
4-point + filter
4-point + filter
4-point + filter
4-point + filter

Description

19' fan unit 70 W
19' fan unit 105 W
19' fan unit 150 W
19' fan unit 220 W
top fan unit 70 W
top fan unit 105 W
top fan unit 150 W
top fan unit 220 W
bottom fan unit 70 W
bottom fan unit 105 W
bottom fan unit 150 W
bottom fan unit 220 W

Article Number

EC.09.000030.334
EC.09.000030.335
EC.09.000030.336
EC.09.000030.337
EC.09.000030.338
EC.09.000030.339
EC.09.000030.340
EC.09.000030.341
EC.09.000030.342
EC.09.000030.343
EC.09.000030.344
EC.09.000030.345



Bracket:

EC Type

R19B1U-40M
R19B1U-80M
R19B1U-P


Fixing

4-point, in the front
4-point, in the front
4-point, in the front

Dimension (h x w x d)

Article Number

EC.09.000030.346
EC.09.000030.347
EC.09.000030.348



Blind panel:

EC Type

R19BP1U
R19BP1U-H
R19BP2U-H
R19BP3U-H
R19BP4U-H
R19BP5U-H
R19BP6U-H

Fixing

4-point, in the front
4-point, in the front
4-point, in the front
4-point, in the front
4-point, in the front
4-point, in the front
4-point, in the front

Dimension (h x w x d)

Article Number

EC.09.000030.349
EC.09.000030.350
EC.09.000030.351
EC.09.000030.352
EC.09.000030.353
EC.09.000030.354
EC.09.000030.355



Other accessories:

EC Type

R19ACSLF
R19ACSC200
R19ACSC800

Fixing

M10x50
M10x15/200 kg
M12x45/800 kg

Description

adjustable legs
wheels
wheels

Article Number

EC.09.000030.901
EC.09.000030.902
EC.09.000030.903

19' vertical laths:

R19ACP-4U
R19ACP-6U
R19ACP-9U
R19ACP-12U
R19ACP-15U
R19ACP-18U
R19ACP-18US
R19ACP-22US
R19ACP-27US
R19ACP-32US
R19ACP-37US
R19ACP-42US
R19ACP-45US

2 pcs
2 pcs
2 pcs
2 pcs
2 pcs
2 pcs
2 pcs
2 pcs
2 pcs
2 pcs
2 pcs
2 pcs
2 pcs

EC.09.000030.904
EC.09.000030.905
EC.09.000030.906
EC.09.000030.907
EC.09.000030.908
EC.09.000030.909
EC.09.000030.910
EC.09.000030.911
EC.09.000030.912
EC.09.000030.913
EC.09.000030.914
EC.09.000030.915
EC.09.000030.916



